

South Coast 36 "Pacifica"

Centre Cockpit



GENERAL...

LOA	11.00 m	LWL	9.20 m
BOA	3.35 m	Draft	1.50 m
Displacement	7500 - 8000 kg	Ballast	3000 kg
Mainsail	27.80 sq m	Furling Genoa	38.50 sq m
Furling Staysail	14.70 sq m	Storm Jib	7.70 sq m
Engine	50 hp	Fuel	220 litres
Water	400 litres	Holding Tank Toilet	80 litres
Deep centre cockpit.		Doghouse for foul weather protection.	
Shallow draft.		Cut away long keel for improved handling/ tracking.	

RIG, SAILS & DECK HARDWARE...

- * Sloop/Cutter Rigged.
- * Anodised mast & boom.
- * Mainsail: Fully battened. Dacron. Loose foot. Triple reefing points - single line slab reefing with lazy jacks and boom cover bag.
- * Mainsail halyard: Spectra, lead back to centre cockpit.
- * Mainsail controls: Traveller track with roller ball car and end blocks to give 4:1 purchase on the traveller. Mainsheet blocks on boom & traveller to give 4:1 purchase.
- * Single line slab reefing lead back to centre cockpit. Seldon System.
- * Topping lift lead back to centre cockpit.
- * Outhaul lead back to centre cockpit.
- * Headsail Genoa: Dacron Furling with UV strip.
- * Staysail: Dacron Furling with UV strip.
- * Storm Jib: Dacron.
- * Headsail and Staysail Roller Reefing / Furling System: PROFURL.
- * Headsail and Staysail gear: including tracks, blocks and sheets.
- * Headsail halyard: Spectra lead back to centre cockpit.
- * Staysail halyard: Spectra lead back to centre cockpit.
- * Spinnaker halyard: Spectra lead back to centre cockpit.
- * Halyard and Control Lines for Mainsail and Headsails all via clutches.
- * Halyard and Control Line winches 2 x 40ST self tailing, 2 speed (over sized).
- * Fabric pocket bags for halyard/furling lines storage.
- * Genoa Sheet winches primary 2 x 52ST self tailing, 2 speed (over sized).
- * Staysail/Jib Sheet winches secondary 2 x 45ST self tailing, 2 speed (over sized).
- * Two winch handles.
- * Pulpit Stainless Steel 750 mm high.
- * Pushpit Stainless Steel 750 mm high with stern seats and gate.
- * Targa tower Stainless Steel for mounting solar panels and wind generator.

- * Stanchions: Stainless steel 750 mm high with triple lifelines, access gates at sides.
- * Cabin top stainless steel handrails.
- * Doghouse stainless steel handrails.
- * Bow roller Stainless Steel with 2 rollers for anchor storage.
- * Deck hatches, 1 vee-berth, 2 saloon, 1 aft cabin.
- * Ports fixed: 4.
- * Ports opening: 4.
- * Vents: 3.
- * Two (2) Alloy mooring cleats each side, stern and amidships.
- * Bow Ballard large in Stainless Steel.
- * Three mooring fenders (inflatable PVC) with 4 docking lines.
- * Aft swim platform in teak with Stainless Steel folding ladder on transom.
- * Pedestal steering with single lever engine control, instrument housing, compass and 30" Stainless Steel wheel.
- * Aluminium natural anodised toe rails.
- * Aluminium natural anodised rubbing strakes.

Options:

- * MPS (multipurpose sail) system.
- * Spinnaker system.
- * Mainsail batten car system.

MECHANICAL...

- * Engine Nanni 50 hp fresh water cooled with heat exchanger, shaft drive, flexible mounts, flexible shaft coupling, dripless shaft seal.
- * Three bladed propellers.
- * Engine hour meter.
- * Primary Racor (or similar) water separator / fuel filters, secondary engine fuel filters, jacketed fuel lines. Engine, fuel tank and fuel line installation to USL Code.

- * Fuel tank: 220 litres approximate, pressure tested.
- * Engine room light.
- * Water intakes for engines protected by bronze strainer.
- * Engine instruments; electric tachometers, engine monitoring and warning systems.
- * Single lever engine control mounted on pedestal steering.
- * Fire and sound proofing to engine room.

Options:

- * Three bladed feathering propellor.

ELECTRICAL AND NAVIGATION...

ELECTRICAL EQUIPMENT

- * 120 amp alternator with 3-stage regulator fitted to engine.
- * Wind generator.
- * Solar panels: 2 x 40 watts.
- * House batteries: 440 amp hr (4 x 6v x 220amp hr) deep cycle. One engine battery - cranking.
- * Deluxe illuminated master DC electrical panel. DC system includes circuit breakers with LED indicator lights, DC voltage and amperage monitoring gauges.
- * Numerous 12V interior lamps and courtesy lights throughout. Dome light in engine and battery locker room.
- * Navigation lights: Tri colour and Port & starboard mounted on bow rails.
- * Masthead light.
- * Anchor light.
- * Deck floodlight.
- * Inverter (1000 Watt) and 3-stage shore charging system, completely wired with AC switchboard, for shore power connection with reverse polarity protection master switch / isolation transformer.
- * Shore power 240 volt connecting socket waterproof to IP66.

Options:

NAVIGATION EQUIPMENT

- * Auto pilot pedestal mounted SIMRAD WP 30.
- * Steering compass.
- * Log instrument.
- * Depth instrument.
- * GPS instrument.

ALL OF THE ABOVE ARE MOUNTED ON STEERING PEDESTAL FOR EASY VIEWING.

- * Multifunction instrument at navigation station.
- * 2 clocks: 1 for local time and 1 for UTC (universal time co-ordinate).
- * Barometer.

Options:

- * Wind instruments.
- * Chart plotter.
- * Autopilot hydraulic linear drive.
- * Radar.

PLUMBING...

- * Pressure water system: Hot and Cold.
- * Fresh water tap mixer in galley.
- * Manual fresh cold water pump in galley and head.
- * Manual salt water pump in galley.
- * 400 litres approximate, fresh water tank.
- * Storage hot water system – 30 litres approximate, capacity.
- * Shower / head water mixer at hand basin and shower.
- * Electric sump pump for shower drain.
- * Bronze sea cocks and thru-hulls below waterline.

- * Manual toilet in head.
- * Holding tank fitted with diverter valve for tank / over board discharge and pump out connection.
- * Hand-held hot and cold water shower, recessed into transom.
- * Anchor and deck wash down pump system.

Options:

- * Water maker.

INTERIOR...

- * Accommodation: 2 cabins vee-berth and aft cabin, saloon, galley and head.
- * Co-ordinated TIMBER joinery/fit-out in Queensland Beech, Blackwood and Teak using solid and timber veneers, plush upholstery and laminex bench surfaces.
- * Bulkheads trimmed in Blackwood vertical vee panels.
- * Edge mouldings in Teak.
- * Cabins, galley and saloon floor sole in Queensland Beech.
- * Cabins and saloon hull/shelves trimmed in Queensland Beech horizontal vee panels.
- * Cabin and cupboard doors in Teak / Blackwood.
- * Each cabin has door for privacy.
- * Cabins have extensive storage and cupboards.
- * Elegant 12 volt lighting throughout.
- * Spot lights in cabins for reading.
- * Internal teak hand rails through out.

SALOON...

- * Co-ordinated timber joinery: Blackwood, Queensland Beech and Teak.
- * Plush upholstery: Lounge and Dinette seating.
- * U-shaped settee around dinette table, with bench type lounge seating opposite.
- * Solid timber dinette table.
- * Numerous lights and red / night lighting.
- * Both seating areas convert to pilot berths for ocean passage with lee cloths.
- * Storage under and behind seating.
- * Book shelves.
- * Drinks cabinet.
- * AM-FM radio with CD / Cassette system, with saloon and aft deck speakers.
- * Navigation station with instruments and radios.
- * Gimballed oil lamp.
- * Positive captive latches fitted to all lockers and doors, single button operation.
- * Two (2) venting hatches.

Options:

- * AM- FM radio with 6/10 CD stacker system.
- * TV, Video / DVD player system.
- * Personal AM-FM radio with CD / Cassette sound system in each cabin

VEE-BERTH AND AFT CABIN...

- * Co-ordinated timber joinery: Blackwood, Queensland Beech and Teak.
- * Plush upholstered mattresses with high-density foam.
- * Hanging lockers.
- * Storage lockers.
- * Overhead lighting.

- * Reading spotlights, 2 per cabin.
- * Storage shelves.
- * Positive captive latches fitted to all lockers and doors with single button operation.
- * Large deck hatch for venting/escape.

Options:

- * Fully co-ordinated sheets, doona covers, pillowcases and towels.

SHOWER AND TOILET...

- * Fibreglass liner for shower and toilet; other surfaces in Laminex and sprayed gelcoat finish.
- * Manual operated toilet, large bowel size.
- * Holding tank and pump out system.
- * Hand basin and tap mixer with pressure water.
- * Manual fresh water hand pump.
- * Shower: hand held with bracket.
- * Shower sump.
- * Cabinet for personal items.
- * Mirror.
- * Toilet paper roll holder.
- * Hanging hooks.
- * Opening port.
- * Ventilation vent.
- * Red / Night Lighting

Options:

- * Electric operated toilet.
- * Vacuum operated fresh water toilet system.

GALLEY...

- * Spacious galley with co-ordinated Laminex counter surfaces.
- * Freezer and fridge combined, top loading and heavily insulated.
- * Four-burner LPG stove with Oven & grill, with flame failure device.
- * Opening port over stove area.
- * Solar and battery operated vent over galley area.
- * LPG remote valve shut off and vapour sensor.
- * 9 kg galvanised LPG bottle in gas locker.
- * Microwave: 240 volt, shore and inverter operated.
- * 240 volt power point: shore and inverter operated.
- * Double stainless steel sink, tap mixer with pressure water.
- * Manual hand pump for fresh water.
- * Manual pump for salt water.
- * Rubbish bin, paper towel holder
- * Under bench storage with timber door.
- * Cutlery drawers and plate racks.
- * Over-bench cupboards with sliding door fronts.
- * Timber sole in Queensland Beech.
- * Positive captive latches fitted to all lockers and doors with single button operation.

Options:

- * Stainless Steel LPG BBQ.
- * Stainless Steel LPG bottle.
- * Additional 9 kg galvanised LPG bottle in gas locker.
- * Co-ordinated plates, cutlery, cups and drink tumblers.
- * Water maker.

SAFETY...

- * Bilge pump: manual 1250 gph.
- * Electric bilge pumps: 1 x 1500 gph and 1 x 500 gph.
- * High level water alarm for bilge area.
- * LPG vapour sensor unit.
- * VHF radio with battery back up and external speaker.
- * EPIRB 406.
- * Flare kit: coastal.
- * Life Raft: 4 person coastal.
- * 2 Lifebuoy rings with lights and drogues.
- * 4 Life jackets: coastal, fitted with light and whistle.
- * Man over board flagpole marker.
- * Life sling overboard rescue system.
- * 2 Adult safety harnesses with lifelines.
- * 2 Deck and Centre Cockpit jack stays for harness lifeline connections.
- * Water proof torches.
- * 2 x 2.5kg fire extinguishers.
- * Fire blanket.
- * Smoke detector.
- * 2 x Safety knives: 1 on mast and other in bow area.
- * Radar reflector.
- * Lightning protection: fitted to top of mast and earthed to water.
- * All floor sole lockers fitted with positive captive latches.
- * All other lockers and doors with positive captive latches with single button operation.

Options:

- * Parachute sea anchor (complete kit).
- * HF radio system.

- * Upgrade for flares and life raft

OTHER...

- * Electric anchor winch with chain and gypsy, 1000 watt motor (oversized).
- * Primary anchor is 45 lb CQR with 70 m x 10mm short link galvanised chain.
- * Secondary anchor 35 lb sand with 30 m x 10 mm short link chain and 50m x 14 mm nylon rope.
- * Anchor winch has up / down controls.
- * Inflatable dinghy: 3-4 person with 3 hp outboard.
- * Epoxy barrier coating to hull BWL plus two coats of antifouling bottom paint.
- * Large inflated plastic fenders x 4
- * Mooring lines, 4 x 15 m x 16mm silver rope.
- * Water line and sheer striping to hull.

Options:

- * Full doghouse fabric covers with windows to enclose centre cockpit.
- * Boom sun cover with water collector.

CONSTRUCTION...

Construction is to the USL Code (Uniform Shipping Law) to Marine Safety Victoria (survey) requirements as follows:

- * Stability requirements for 2C: meet and exceed the requirements for off shore.
- * Hull and Deck laminates.
- * Bulkhead taping to hull.
- * Engine shafting, fire proofing of engine room and installation.

- * Fire rating for all items used in fit out.
- * Bilge pumping system.
- * Electrical wiring.
- * Navigation Lights.
- * LPG installation.
- * Radio installation with battery back up.
- * Only marine grade resins and gelcoat used.
- * Osmosis protection to the hull is via a number of layers of vinylester resin in the initial lay up of the hull.
- * Further protection is added with 2 coats of epoxy barrier coating, applied to the out side of hull before antifouling.

PRICE: POA

Inclusive in price; loading, transport, lift into the water commissioning and sail testing.

We reserve the right to modify and/or alter any specifications.

RMK Marine
